

Percussive Services











Remote Technology









Services

- Production & Service Hole Drilling
- Reverse Circulation Drilling
- Drop & Inverse Raise Extraction
- Grade Control
- Narrow Vein Extraction
- Ground Support Installation
- Dewatering
- V-30 & Canister Drilling
- Engineering Services
- Stope Design
- Drill & Blast

Who We Are

- We are the leader in technical underground drilling and dewatering services
- Operating over 50 drills
- Employing over 200 employees in Canada,
 USA, Mexico and Colombia

What Makes Us Different?

Routine customization of equipment and procedures to fit the specific needs of our customers in order to ensure optimal project success.





Top Hammer



Stinger NP

Depth: 30m Length: 3m Width: 1m Height: 2.3m Weight: 1,725kg

ITH / Rotary



DU211-T/6200N

Depth: 130m Length: 4m Width: 1.2m Height: 2.6m Weight: 8,200kg



Stinger Depth: 30m Length: 3.4m Width: 1.5m Height: 2.54m Weight: 4,082kg



DU311-TK/Orion

Depth: 300m Length: 5m Width: 1.8m Height: 2.7m Weight: 12,700kg



Stopemaster

Depth: 40m Length: 5.8m Width: 1.4m Height: 3m Weight: 9,600kg




DU311/Pegasus

Depth: 130m Length: 8.2m Width: 2m Height: 2.7m Weight: 22,700kg



Raptor

Depth: 40m Length: 8.6m Width: 1.3m Height: 2.4m Weight: 11,700kg



Surface Blast Hole



Atlas Copco T40

Top Hammer / Remote Depth: 28m Dia.: 76-115mm



DL311

Depth: 40m Length: 9m Width: 2m Height: 3.1m Weight: 17,000kg



Atlas Copco F7

Top Hammer / Cab Depth: 40m Dia.: 76-115mm



DL421

Depth: 55m Length: 11.25m Width: 2.3m Height: 3.4m Weight: 22,000kg



Atlas Copco D60

ITH / Cab Depth: 45m Dia.: 110-178mm

Contacts

Pat Bamford

General Manager Global Mining Services Cell: 801.560.2338 pat.bamford@majordrilling.com

Tom Rannelli, P.Eng.

Business Development Manager North American Undergound Operations Cell: 705.845.0541 tom.rannelli@majordrilling.com

Rocky McLellan General Manager

North American Underground Operations Cell: 218.290.3646 rocky.mclellan@majordrilling.com